

Incremental Parsing for Real-Time Accompaniment Systems

Giordano Cabral¹, Jean-Pierre Briot¹, François Pachet²

¹Laboratoire d'Informatique de Paris 6 – Université Pierre et Marie Curie
8 Rue du Capitaine Scott 75018 Paris – France

²Sony Computer Science Lab Paris
6 Rue Amyot 75005 Paris – France

{Giordano.CABRAL, Jean-Pierre.BRIOT}@lip6.fr, pachet@csl.sony.fr

Abstract

The incremental parsing (IP) algorithm has been successfully used in real-time applications, due to its efficiency and power to model musical style. For example, musical systems using IP can continue phrases played by a musician in a consistent way. This paper proposes some alterations in the original algorithm in order to adapt it to accompaniment systems.

1. Introduction

Statistical analysis techniques have been applied to musical material with the aim of modeling musical style. Dubnov (Dubnov et al. 1998) showed how Markov chains can be used to learn the dynamic behavior of melodies from a database of examples. Lartillot (Lartillot et al. 2001) used these probabilistic models to classify musical styles, while Pachet (Pachet 2002) used them to create an interactive system: The *Continuator*. We are interested in using similar approaches for a real-time accompaniment system.

Our work is strongly inspired by the *Continuator*, extending its methods to deal with accompaniment. The *Continuator* is able to continue phrases played by a musician, coherently to their style, by computing in real-time a variable-order Markov model of the corpus. In order to efficiently compute the model, the system uses an algorithm called Incremental Parsing (IP) (Ziv and Lempel 1977), which was firstly designed for the LZ compression method. The *Continuator* explored several interactive modes, from the simple question-answer (where the system just responds to the musician's input) to the collaborative one (where the system plays continuously, restraining the generated sequence to harmonically acceptable notes).

Despite the unquestionable capacity of the system to emulate the style of the musical input (see some video excerpts in <http://www.csl.sony.fr/~pachet/continuator>) in

the question-answer mode, the system demonstrated to be deficient in performing accompaniments. In fact, the difficulty relies on balancing the ability to generate stylistic coherent musical phrases and to adapt itself to the musician's input. This work proposes some modifications in the IP algorithm hoping to better handle this problem.

Next section exposes the core problem involved in developing our accompaniment system, identifying possible tradeoffs among adaptation, continuity, and prediction. Section 3 describes the traditional Incremental Parsing used, for instance, in the *Continuator*. Section 4 presents the consequent modifications in the original IP. Finally, Section 5 draws some conclusions and presents our future works.

2. Musical Accompaniment

The system we are developing must be capable of accompanying a user singing some melody via the computer microphone, without any previous knowledge of the song. The accompaniment style and the tempo are given. For the first prototype, Brazilian Bossa-Nova style, at 90 bpm. These constraints simplify the problem: the system must only be able to find the best chords for a melody that is currently being sung. In this context, we can consider the application as performing real-time harmonization.

The core problem involved in the development of such a system is to establish a tradeoff between continuity and adaptation, as we can see in Figure 1. On the one hand, the chords chosen for the accompaniment must keep certain continuity. It means that the choice of the chords to be used depends on the previous ones. On the other hand, the chosen chords must fit the melody being sung.




Figure 1 – dependency relation between accompaniment and leading melody. Chords depend both on previous chords and on concurrent melody.

Moreover, as we are in a real-time scenario, there is one extra requirement: the capability to predict notes, since the melody that will be sung is unknown. In fact, we observed 3 strategies employed by the accompaniment musicians, related to different combinations of adaptation, continuity, and prediction.

1. *Prediction/Retrieval* – given a sequence of notes (melody) sung by the singer, the musician imagines (predicts) a continuation, and tries to find the good chords to play along with. The adaptation relies on its ability to combine melody and harmony, and the continuity is kept while the singer follows a melody sufficiently similar to the predicted one. At each moment, the musician reviews the coupling harmony/melody, updating or rebuilding the predictions since conflicts were found, or the predicted phrase terminates.
2. *Retrieval/Continuation* – according to the sung melody, the musician creates an appropriate accompaniment. Then, he/she looks for a continuation for this accompaniment. The continuity is naturally respected, but he/she has to constantly review the coupling harmony/melody, and restart the process in case of conflict.
3. *Joint* – melody and harmony are seen as a whole. Since chords are groups of notes, it is reasonable to consider the ensemble note and chord also as a chord, thus adaptation, continuity, and prediction are taken simultaneously into account.

The IP algorithm can be extended to operate in these 3 behaviors. Next sections explain the original and the modified versions of it.

3. Incremental Parsing

This algorithm is originated from the analysis phase of the Lempel-Ziv (Ziv and Lempel 1977) compression method. The technique can be applied to music, whether interpreted as a sequence of notes. The parsing is divided into 2 phases. First, the input sequence is read, generating a model that captures the redundancy. Second, a compressed representation of this sequence is encoded. For interactive

systems, the model captures probabilities of transitions between notes, and the second part is substituted by a stochastic simulation of that model, for a given new sequence. Normally, suffix trees, where context is inverted (i.e. the sequences are read from the leaves to the root) are used, and the indexes of the continuations are stored in each node.

Figures 2 and 3 illustrate how the algorithm works for interactive systems. The IP incrementally reads the input sequences, where each sequence is divided into an occurrence and a continuation. Let's suppose the first sequence is [C, A, F, E]. The possible occurrences and continuations may be [C, A, F] and [E], [C, A] and [F], or [C] and [A] (if we are only interested in one-sized continuations). At each cycle, the shortest pattern that does not exist yet in the dictionary of sub patterns is chosen and added to the model, as well as its continuation. The sub sequence [C, A, F] is read, having 4 as the continuation index, thus each node has the continuation index 4. Subsequently, the [C, A] is read, whose continuation has index 3. Finally, [C] is read, creating the last branch of the suffix tree (the complete tree at this stage is shown in Figure 2).




Figure 2 – suffix tree generated by the original IP for the sequence [C, A, F, E].

Later on, a second sequence ([C, C, F, G]) is observed. The same process is employed. For example, the branch [C, C, F] is attached to the branch [C, A, F], since they have the same suffix ([F]). The final tree is shown in Figure 3. This mechanism allows only new information to be added, avoiding the storing of redundant data. In order to search a continuation for a new sequence, one just needs to browse the tree, looking for the longest suffix. For instance, for the sequence [E, A, F], the answer is [E] (continuation index 4), related to the subsequence [A, F] (as showed in gray in Figure 3).




Figure 3 – suffix tree generated by IP for the sequences [C, A, F, E] and [C, C, F, G], and possible query. In gray, the answer for the query.

4. Modified Incremental Parsing

This section presents the necessary modifications for allowing the IP to present the behaviors cited in Section 2. In the first case (Prediction/Retrieval), we propose to alter the structure of the suffix tree (Figure 4). Instead of storing possible continuations, it would store the possible accompaniment chords. In the second case (Retrieval/Continuation), we propose to create 2 distinct suffix trees, one for the lead melody, and other for the accompaniment (Figure 5). Each leaf in the melody tree would point to a node in the accompaniment tree. In the third case (Joint), we propose to mix the states. The elements in the sequence would neither be a single note (from the leading melody) nor a chord (from the accompaniment), but rather a tuple <note, chord>, as shown in Figure 6.

Let's examine how that would work by making use of an example. Let's suppose that the sequences used in the previous example ([C, A, F, E] and [C, C, F, G]) are accompanied respectively by the chords [Am, %, F, E7] and [Am, F, E7, %], where "%" indicates that the chord remains the same. After a while, a new sequence [E, A, F] is observed.

Case 1 is illustrated in Figure 4. The tree is very similar to the original IP tree, but the indexes refer to the chords of the accompaniment, and not to possible continuations. The longest suffix of [E, A, F] found in the tree is [A, F], where there is only one index: 4. The retrieved chord is, thus [E7].




Figure 4 – prediction/retrieval behavior.

Figure 5 illustrates the behavior of Case 2. On the top-left corner, there is the suffix tree related to the accompaniment. On the bottom-right corner, there is the suffix tree related to the leading melody. As in the previous case, the longest suffix of the new sequence [E, A, F] is [A, F]. However, this suffix returns a subsequence of chords (in the example, the chords between indexes 2 and 3, i.e. [Am, F]). The accompaniment suffix tree is then used, in order to look for a continuation. In this case, there would be 2 possibilities (to be randomly chosen): 4 or 7.




Figure 5 – retrieval/continuation behavior.

In case 3, each node is a tuple <note, chord>, thus the chords are also considered in the query. Let's assume the system has played the chords [%, C7, F] along with the melody [E, A, F]. The query becomes [<E, %>, <A, C7>, <F, F>] (Figure 6). In such a case, the longest suffix found

is not of size 2 anymore (as the previous [A, F]), but of size 1 (<F, F>), demonstrating this strategy is less likely to find solutions.




Figure 6 – behavior of joint solution.

5. Discussion and Future Work

We judge the 3 suggested IP variations reflect the 3 behaviors mentioned in Section 2. In the first one, the system predicts a continuation to the leading voice melody, and then searches an appropriate accompaniment. When the actually sung melody conflicts with the predicted one, the system is restarted with a new query. In the second one, the system searches an appropriate accompaniment for the current leading melody, and then generates a continuation for the sequence of chords. When the sung melody conflicts with the chosen accompaniment, the system is restarted with a new query. In the last one, the system considers note and chord as a whole, and searches a good continuation for both simultaneously. A situation where the query does not get any answer would be considered a conflict between leading melody and accompaniment.

Such algorithms are currently being implemented, and we intend to run some experiments with musicians, in order to evaluate the strengths and weaknesses of each one, to investigate whether the system really emulates musician’s abilities. Obviously, it is difficult to have measures to the quality of the system, given its subjectivity. However, we believe that computing the time of use of each mode, recording and analyzing users reactions, and ask them to feedback us, can bring some light to the subject, helping to conceive a hybrid optimized model, combining the strengths of them all.

6. Conclusion

In this work, we proposed modifications in the Incremental Parsing algorithm in order to make it work with concurrent sequences. Thus, it would be suitable to musical

accompaniment systems. We suggested 3 variations, emulating 3 different behaviors of musicians: prediction/retrieval, retrieval/continuation, and joint. We are currently analyzing possible criteria to evaluate them, in order to provide comparative data.

Acknowledgements

We would like to thank the Sony Computer Science Lab in Paris for their support.

This research is supported by CAPES/COFECUB, Brazil/France.

References

- Lartillot, O., Dubnov, S., Assayag, G., and Bejerano, G. 2001. Automatic Modeling of Musical Style. In *International Computer Music Conference*, La Havana.
- Dubnov, S., Assayag, G., and El-Yaniv, R. 1998. “Universal Classification Applied to Musical Sequences”. In *Proceedings of International Computer Music Conference*, pp. 332-340.
- Pachet, P. 2002. “The Continuator: Musical Interaction with Style”. In *ICMA, editor, Proceedings of ICMC*, pp. 211-218.
- Ziv, J., and Lempel, A. 1977. “A Universal Algorithm for Sequential Data Compression”, *IEEE Transactions on Information Theory*, Vol. 23, No. 3, pp. 337-343.